



CROWNWeb

Disabling QIPS Account for Closed Facility

Standard Operating Procedures

August 3, 2009

This CROWNWeb *Disabling QIPS Account for Closed Facility Document* was developed by FMQAI, the Florida ESRD Network, with funding from the Centers for Medicare and Medicaid Services (CMS) under contract # HHSM-500-2006-NW007C_Modification No. 000024, provided for the ESRD Renal - Requirements, Communication and Training (RCT) Special Project.

Disabling QIPS Account for Closed Facility

2 DOCUMENT CONTROL.....	3
3 INTRODUCTION.....	4
4 ASSUMPTIONS	5
5 PAPER LAYOUT	6
6 USE OF SUBJECT MATTER EXPERTS	7
7 GENERATE CROWN HELP DESK SERVICE REQUEST PROCEDURES	8
8 COMMUNICATION PROCEDURES.....	9
9 PROCEDURES.....	11
10 FLOWCHARTS.....	12
11 DEFINITIONS AND ACRONYMS	14

2 DOCUMENT CONTROL

Document Information

Information	
Document Owner	FMQAI
Document Type Code	SOP
Sequence Number	001
Document Type	SOP
Release Number	1
Release Date	

Document History

Version	Issue Date	Changes
1	July 22, 2009	Initial Document
2	July 28, 2009	Updated as per feedback from ESRD Network
3	August 3, 2009	Updated as per feedback from CROWN Help Desk
4	November 9, 2009	Updates From Help Desk

Document Approvals

Role	Name	Signature	Date

REFERENCES:

3 INTRODUCTION

PURPOSE

The purpose of this disabling a QualityNet Identity Provisioning System (QIPS) User Account for a Closed Facility Standard Operating Procedures (SOP) document is to lay out the process required to disable a closed or closing facility user account from QIPS or the Consolidated Renal Operations in a Web Enabled Network (CROWNWeb) System.

4 ASSUMPTIONS

- The process starts when the ESRD Network determines/receives notice of a Facility that is closed for business for an extended period of time (use current CMS policies and procedures to determine extended period of time).
- This paper does not define business processes specific to an individual Facility, ESRD Network Organization, CMS and/or CMS Contractor.
- These are high level business processes that indicate responsibility for actions; they do not include every necessary action at the detail level.

5 PAPER LAYOUT

This paper will define the highest level of disabling a QIPS account for a Closed Facility. There will be a swim lane to identify process ownership, a detailed flowchart describing the process in more detail and verbiage to accompany the flows.

6 USE OF SUBJECT MATTER EXPERTS

FMQAI has consulted with subject matter experts (SMEs) to gather information and define a process to allow consistency nationwide. These SMEs consist of employees of ESRD Network Organizations, Facilities, CMS, and CMS's contractors. FMQAI will continue to use these sources to obtain the specific information needed.

7 GENERATE CROWN HELP DESK SERVICE REQUEST PROCEDURES

Generate CROWN Help Desk Service Request Procedures

1. The Stakeholder contacts CROWN Help Desk by e-mail, by web form, or by phone: esrdhd1@esrd.net, 1.888.ESRD.HD1, or through the CROWN Help Desk Portal <https://mrx-cw-eservice.gcrm.com/crown/welcome.aspx>
2. The Stakeholder explains issues/discrepancies to the CROWN Help Desk for issue documentation.
3. The CROWN Help Desk generates a service request and if unable to resolve, assigns to the appropriate party.
4. The CROWN Help Desk tracks and provides summary reports on outcomes for all service requests to CMS.

8 COMMUNICATION PROCEDURES

These communication procedures will outline generic steps to be taken when questions need to be answered outside one specific entity. The underlying premise of these communications is; the Facilities are responsible for their data. These procedures will include, but is not limited to ESRD Networks, Facilities, CROWN Help Desk, CMS and CMS's Contractors.

A BATCH Submitting Organization (BSO) is the organization that has been delegated the authority to submit data on behalf of a Facility. Communications procedures between the BSO and a Facility are internal processes for each Facility to define as part of its agreement with another entity to delegate authority.

This list is not meant to be a comprehensive list of all scenarios. The intent is to give guidelines that all entities can follow.

- A. It is appropriate for a Facility to contact another Facility (Exception: If prior Facility is within the same BSO entity, follow internal procedures; if a Facility has question for the prior Facility and is unable to contact them, contact the ESRD Network):
 - When a patient has previously received care at another Facility and the receiving Facility has questions about data submitted by (or on behalf of) or missing data from the previous Facility.
 - When a Facility gets a warning of a possible near match and wants to verify the six identifiers to admit the patient in CROWNWeb.
 - When a Facility has deleted an erroneous addition event and needs to advise the prior Facility to delete the erroneous System Discharge that occurred in CROWNWeb (NOTE: Main example of this would be a Facility accidentally transferring a patient in with the wrong status (i.e. permanent rather than transient) causing a System Discharge for the prior Facility. They should call the prior Facility advising them that the incident occurred so the prior Facility is aware that there is an erroneous discharge that needs to be removed).
- B. It is appropriate for a Facility to contact and ESRD Network:
 - For near match issues not related to transferring patient or that cannot be resolved through verification with the transferring Facility.
 - For discrepancies and/or questions between two Facilities about the correct way to report admit/discharge dates in CROWNWeb.
 - To correct or update Facility information for fields that they do not have permission to access.
 - When a Facility has questions about previously entered or missing data from another Facility and they are unable to contact the previous Facility.
- C. A Facility should open a service request through the CROWN Help Desk:
 - When there is a security log-in issue.
 - To report a CROWNWeb System bug or error message.
 - To report a CROWNWeb System enhancement request.
 - To receive answers to questions related to application usability.
 - When their CROWNWeb account has been inactive greater than 60 days and they need access.
 - When there are CROWNWeb data entry error/issues that cannot be resolved within their Corporation and their corresponding ESRD Network.
 - When a Facility has questions about previously entered or missing data from another Facility where the Facility is not within their Corporation and could not be resolved by the ESRD Network.
 - When the CROWNWeb System is down.
 - When an acute patient or an erroneously - entered patient should be removed.
- D. An ESRD Network should contact a Facility:


- When there are any CROWNWeb related discrepancies.
 - For follow-up on unresolved issues such as GAP patient or change requests not completed in a timely manner.
 - For follow-up on Facility pending Certification using the current standard operating procedures in place.
 - When there are noted problems with accuracy or timeliness of data entry.
 - When there are noted problems with clinical data entry (incorrect, missing, late).
- E. An ESRD Network should contact another ESRD Network:
- When a patient transfers from one ESRD Network to another ESRD Network and the ESRD Network encounters a problem with the patient that requires intervention from the previous ESRD Network.
- F. An ESRD Network should contact CMS:
- When a submitted CMS OMB form needs to be deleted.
 - When a Facility needs to be removed from a report such as Vascular Access Reporting (as defined in the Vascular Access Report SOP).
- G. An ESRD Network should open a service request through the CROWN Help Desk:
- When there is a security log-in issue or a security breach.
 - To report a CROWNWeb System enhancement request.
 - To receive answers to questions related to application usability.
 - When there are data entry errors/issues that cannot be resolved through the SUI.
 - To report a CROWNWeb bug or error message.
 - When there are system discrepancies and all other communication efforts have been exhausted.
 - When CROWNWeb System is down.
 - When duplicate patients need to be merged.

9 PROCEDURES


Process for Disabling QIPS Account(s) for a Closed Facility

- A. The ESRD Network determines/receives notice of a Closed Facility.
- B. The ESRD Network will search for all applicable Closed Facility QIPS user accounts in QIPS.
- C. The ESRD Network will search in CROWNWeb for applicable closed facility QIPS users' scope.
- D. If the QIPS user at the Closed Facility has scope to **Multiple** Facilities:
 - Each applicable QIPS user will fill out a QIPS Account Form to change their user account information with updated Facility information. (Note: The QIPS Account Form does not need to be notarized for this update.)
 - The QIPS user will send their QIPS Account Form to the corresponding ESRD Network Security Administrator (SA).
 - The ESRD Network SA will remove the Closed Facility from the applicable user's scope in the CROWNWeb System.
- E. If the QIPS user at the Closed Facility has scope to the **Single** Closed Facility:
 - The ESRD Network SA will remove the Closed Facility from the applicable user's scope in the CROWNWeb System.
 - The ESRD Network SA will disable all applicable QIPS user accounts assigned to the Closed Facility in QIPS.
 - The ESRD Network SA will print the "Paper Work Info" tab in QIPS to be sent to the CROWN Help Desk.
 - The ESRD Network SA will fill out the QIPS Account Form for each applicable disabled QIPS user accounts for the Closed Facility.
 - The ESRD Network SA will have their corresponding ESRD Network Executive Director (ED) sign the QIPS Account Form as the "Manger".
 - The ESRD Network SA will review the QIPS Account Form for correctness and completeness.
 - The ESRD Network SA will mail the completed and authorized QIPS Account Form along with the printed Paper Work Info Tab to the CROWN Help Desk via USPS Certified Mail with return receipt request.
 - QIPS will generate a system generated e-mail to notify the ESRD Network SA of the corresponding user account disablement.
- F. The ESRD Network will change the Facility Status in CROWNWeb to "Closed" for the applicable Closed Facility. (Note: The Facility Status should be change to closed 30 days after the closing notification to allow for final wrap up at the closing Facility.)
- G. The CROWN Help Desk receives the authorized and completed QIPS Account Form.

10 FLOWCHARTS



Detailed Flow for Disabling an Account in QIPS for Closed Facility



11 DEFINITIONS AND ACRONYMS

#	Word	Definition
11.1	BATCH	Electronic data submission.
11.2	BSO	BATCH Submitting Organization (BSO)
11.3	CCN	CMS Certification Number (CCN) also known as Provider Number.
11.4	CROWN Facility Unique Identifier	A system-generated unique characters used in CROWNWeb System to identify a specific Facility.
11.5	CROWNWeb	Consolidated Renal Operations in a Web Enabled Network.
11.6	Data Integrity Issue(s)	Issue(s) relating to the viability of the system or the integrity of the data is endangered by a situation requiring immediate investigation or a facility is unable to use CROWNWeb, and it appears that the problem can only be resolved by CROWNWeb Development Contractor's action (that is, it's not a password problem, a user-registration problem, and internet connectivity problem, or a problem with the user's own computer).
11.7	Data Mapping	Compiled data element programmed to connect between two distinct entities.
11.8	Delegation of Authority Form	CMS-10268 Form verifying that the ESRD Facility delegated their corporate entity to submit data to CMS on their behalf.
11.9	Dialysis Facility	A unit (hospital-based or free-standing), which is approved to furnish dialysis services directly to ESRD patients.
11.10	End Stage Renal Disease (ESRD)	The stage of renal impairment that appears irreversible and permanent, and requires a regular course of dialysis or kidney transplantation to maintain life.
11.11	ESRD Network Organization	Coordinator of Medicare-related ESRD activities for a Medicare approved ESRD facilities in a designated geographic area. Also referred to as "ESRD Network."
11.12	Incident Report	A form containing details of incidents involving any component of an IT Infrastructure or any aspect of the IT service.
11.13	ISG	Information System Group (ISG) at the Centers for Medicare and Medicaid Services (CMS)
11.14	OrgFacilityCode	Organization Facility Code. This is the ESRD Facility's corporate organization number.
11.15	QIPS	The QualityNet Identity Provisioning System (QIPS) allows CMS, ESRD Network and Facility Security Administrator (SA) the abilities to register new staff members for CROWNWeb, ensure security for CROWNWeb users, minimize the risk of security incidents, and assist in the secure management of patient information.
11.16	QIPS Account Form	A CMS approved form to request for ESRD dialysis facility users access to CROWNWeb System.

#	Word	Definition
11.17	Scope	“Scope” refers to CROWNWeb data that a particular user is allowed to access (typically because it is necessary to complete activities required by the Medicare program). Example: If you work in Facility A, ordinarily data pertaining to a particular patient’s time of treatment at Facility A is “in scope” for you. Patient data relating to times before or after the patient was in your facility’s care are usually “out of scope” for you. Scope controls the access of facility(s) where user can perform their role (tasks they can do).
11.18	Security Administrator	Security Administrator (SA) assists in registering new staff members for CROWNWeb System. They help ensure security for CROWNWeb users.
11.19	Service Request	A Service Request is a mechanism used to track the detection, reporting, and potential resolution of identified problem. Service Request and/or any industry standard terminology.
11.20	SME	A Subject Matter Expert (SME) is a person who is an expert in a particular area.
11.21	SOP	Standard Operating Procedures (SOP) are written procedures prescribed for repetitive use as a practice, in accordance with agreed upon specifications aimed at obtaining a desired outcome.
11.22	Source System	A database, application, file, or other storage facility from which the data in a data warehouse is derived.
11.23	XSD Error	Error generated from XML validation prior to being submitted into CROWNWeb for processing during BATCH submission.